

***Specification of equipment of Alaska 45 Sedan hull no. CNDHS45049E010
with engines 2 x Cummins QSB 5,9 440 HP electronic-common rail***



CHARACTERISTICS:

Length overall	15,40 m
Hull length	13,70 m
Beam	4,25 m
Draught	0,96 m
Displacement	17,60 t
Fuel tank capacity	2.000 l
Fresh water tank capacity	700 l
Black water tank	230 l
Average cabin headroom	2,00 m
Autonomy	850 miles
Top speed	22/24 nots
Cruising speed	16/18 nots
Hull type	semi-skimmer, deep-V
Berths	4 + 2 in 2 cabins + saloon
Passengers on board (Max)	14
2 bathrooms with showers in separate cubicles	
Hull color	beige
Material	fiberglass
R.I.N.A. CE Certificates	

TECHICAL SPECIFICATION AND STANDARD EQUIPMENT:

Stainless-Steel fuel tank
 Special sound and thermal insulation for engines
 Engine cabinet door
 All the equipment that generates noise and vibrations has silencers
 Engines are installed on elastic supports

Engine and generator exhaust valve silencer
Engine room floor made of ribbed aluminium
Perforated metal panel on the walls of the engine cabinet
Metal safety valve for fuel supply interruption
Fuel filters "Racor"
4 bilge pumps + additional grey water pump
Sea water pumps for deck and chain washing
Transmission of line shafts
2 propellers with four wings in NI-AL-bronze
Propeller axis 2,5" made of inox steel
Underwater exhaust valve
Bow thruster "Side Power SE 95" KgF
Preinstallation for stern thruster
"Benett" flaps
Manual emergency water drain pump system
Galvanized anode grounding system
Electro-generator "Onan" 7,0 KW with underwater exhaust
Battery charger with 80 A
Electronic engine controls
Separate groups of batteries in fibreglass cases
Controls and instruments on one console for 220V and 12V power supply
Black-water tank indicator
Fuel tank indicator
Fresh water tank indicator
Analog and digital instruments for engine control
Rudder angle indicator
38 liter boiler
Navigation lights, Observation light; Horn
Marine clock; Compass; Barometer
Shore power plug with a 20 meter cord
Anchor windlass "Maxwell 2200 W" with 2 control stations
Towing winch "Maxwell 1000 W"
Inox anchor of corresponding weight with a 75 meter chain, 10mm diameter
Reserve rudder
Rudder made in teak
Electro-hydraulic "Opacmare" gangway 2,73 m
Extending swim ladder made in stainless steel with steps made in teak
Swim platform made of fiberglass and teak
External stern shower
Halogen lights "Suardi"
External and internal led lights "Suardi"
Electrical switches "Vimar"
Deck and external finish in teak
Stern mirror in teak
Preinstallation for underwater lights
Boat name carved in solid teak wood
Inox steel handrail with the bulwark top in teak
Inox steel bollards and rope guides (with possibility of extra rooping) made of inox
Inox steel window frames with tempered and colored glass
"Speich" window wipers - clean water usage
Stainless steel side "Air Craft" doors x2
Saloon doors made of teak
Saloon table with inox legs and teak board

Internal pannels made of teack
Inside floor made of teack veneer with traces of maple
Teak Persian blinds in th e saloon and cabins
Stainless steel mosquito nets
'Ocean Air" in master cabin
Bath and kitchen working bord made of granit
Inox steel kitchen sink
130 l refrigerator + additional refrigerator 100 l in the seating bench
Cooker with ceramic glass cooking surface
Electrical/microwave oven
Stereo unit with a CD player, 2+4 speakers
Preinstalation for power socket for TV in the master cabin
Toilets "Jabsco Luxury silent" x 2
The boat is equipped with a automatic and manual fire extinguish devices - CE norms
Seating upholstery according to the owners demands
Front window beige tarpaulin and saloon doors beige tarpaulin

NAVIGATION EQUIPMENT:

"Raymarine ST 60" unit
Display Radar / GPS "Raymarine C120W"
Radio VHF + DCS "Raymarine RAY 240E" speaker included
Automatic pilot "Raymarine ST 6002"
GPS antenna "Raymarine Raystar 120"
Radar antenna "Raymarine 4 KW"
VHF antenna "Raymarine"

NAUTICAL AND SAFETY EQUIPMENT:


Fenders 6+2
Bounding ropes+additional ropes, spare and storm anchor
Additional safety equipment includes 14 lifebelts, first aid, flare rocket
Life raft for 14 person
Air-conditioning units "Air Marine" (heating and cooling) 36.000 BTU;
control for each cabin
Inverter 2,0 kW
Deck wash system Jabsco
Additional sound isolation
Set of reserve spare parts for two years (cink anod + buccula)

ADDITIONAL OPTIONS:


Additional air heating system "Eberspraecher" 5,5 kW
Sun catcher pillows
Electrical lifting system for saloon table
Colour LCD TV with DVD for the saloon + TV lift mechanism
Stern thruster
Deck table and chairs made of teack

LAYOUTS

LAYOUT MAIN DECK



LAYOUT LOWER DECK



PROFILE

